

flumes, drilled well with pump and motor, etc.

9. Estimated cost of works.....\$15,000.00
10. Estimated time required to construct works.....existing 8", 500' well, submersible pump and
If well completed, describe works.
.....storage tank.
11. Estimated time required to complete the application of water to beneficial use.....2 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

~~This application is being made for two (2) homes under the exemption of amended order 1054 for cancelled permit no. 54408. These homes are located on assessor parcel numbers: 138-04-402-022, and 138-04-402-005.~~

Compared.....pm/jk jr/bk

By.....s/Robert D. Brenner
8255 Hickam Ave.
Las Vegas, NV 89129

Protested.....

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.0118.....cubic feet per second, but not to exceed 0.73 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....June 8, 1996

Proof of completion of work shall be filed before.....July 8, 1996

Application of water to beneficial use shall be filed on or before.....June 8, 1997

Proof of the application of water to beneficial use shall be filed on or before.....July 8, 1997

Map in support of proof of beneficial use shall be filed on or before.....N/A

Completion of work filed.....JUL 11 1996

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No.....Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this.....8th.....day of.....June.....

A.D.....95.....

Robert D. Brenner
State Engineer

(PERMIT TERMS CONTINUED)

This permit is issued for service for two parcels from an underground well to APN 138-04-402-002 and APN 138-04-402-005.

This permit is issued subject to the State Engineer's Amended Order 1054 dated April 15, 1992.